

Mini TikZ Tutorial

Suzana Fong
sznfong@alum.mit.edu

May 27, 2023

Contents

1	Trees and arrows	1
1.1	A basic head-initial tree	1
1.2	A basic head-final tree	2
1.3	A tree without labels in branching nodes	3
1.4	A curved arrow connecting two nodes	3
1.5	An angled arrow connecting B and G	5
1.6	Adding annotations to a curved arrow	5
1.7	Adding annotations to an angled arrow	7
1.8	Triangle	8
1.9	Linear representation with arrows	10
1.10	Annotation beside node	12
2	Other Useful Resources	12

In this tutorial, I list some basic trees and some basic decorations like different types of arrows. I learned a lot from this phenomenal tutorial by Dr. James Crippen: <https://lingbuzz.net/lingbuzz/003379>. **Most of the code in this tutorial comes from this manual.** Things I learned over the years from <https://tex.stackexchange.com/> are impossible to list and credit.

I claim no credit nor novelty in this tutorial. It just conveniently lists codes that are frequently used. It also provides a guide for students taking syntax courses who may want to learn how to draw trees with `tikz` without having to spend too much time learning its syntax.

1 Trees and arrows


1.1 A basic head-initial tree. A head-initial tree can be drawn with the following code:

```

\begin{tikzpicture}
  [parent anchor=south,
  align=center,
  level distance=2em,
  anchor=north,
  sibling distance=5em,
  child anchor=north]
  \node {A}
  child {node {B}}
  child {node {C}
    child {node {D}}
    child {node {E}
      child {node {F}}
      child {node {G}}}}
  ;
\end{tikzpicture}

```

This is the output:



- Adjust the vertical distance between nodes with `level distance=2em` and the horizontal distance with `sibling distance=5em`.

1.2 A basic head-final tree. A head-final tree is drawn in the same way as the previous tree, except that the embedding is the left-most node.


```

\begin{tikzpicture}
  [parent anchor=south,
  align=center,
  level distance=2em,
  anchor=north,
  sibling distance=5em,
  child anchor=north]
  \node {A}
  child {node {C}
    child {node {E}
      child {node {G}}
      child {node {F}}}}
  child {node {D}}
  child {node {B}}
  ;
\end{tikzpicture}

```

This is the output:

(2)




1.3 A tree without labels in branching nodes. In the trees above, each node (viz. the topmost node, the branching nodes, and the non-branching nodes) has a label. A tree can also be drawn that does not have labels in the branching nodes.

```
\begin{tikzpicture}
  [parent anchor=center,
  align=center,
  level distance=2em,
  anchor=north,
  sibling distance=5em,
  child anchor=north]
  \node {}
  child {node {B}}
  child {
    child {node {D}}
    child {
      child {node {F}}
      child {node {G}}}
  }
;
\end{tikzpicture}
```

This is the output:

(3)



- Key specification: `parent anchor=center` (instead of `south`).
- Then delete `node {}` in a branching node (cf. the tree with labels in branching nodes).


1.4 A curved arrow connecting two nodes. There is more than one way to draw a curved arrow. Here is one:

```

\begin{tikzpicture}
  [parent anchor=south,
  align=center,
  level distance=2em,
  anchor=north,
  sibling distance=5em,
  child anchor=north]
  \node {A}
  child {node (b) {B}}
  child {node {C}
    child {node {D}}
    child {node {E}
      child {node {F}}
      child {node (g) {G}}}}
  ;
  \draw[latex-] (b) .. controls +(south:7em) and +(south:5em) .. (g);
\end{tikzpicture}

```

This is the output:



- Add labels to the nodes you want to connect with an arrow (e.g. (b) and (g)).
- Adjust the curve at (south:7em) and (south:5em).


Here is another way:

```

\begin{tikzpicture}
  [parent anchor=south,
  align=center,
  level distance=2em,
  anchor=north,
  sibling distance=5em,
  child anchor=north]
  \node {A}
  child {node (b) {B}}
  child {node {C}
    child {node {D}}
    child {node {E}
      child {node {F}}
      child {node (g) {G}}}}
  ;
  \draw[latex-] (b) to [bend right=75] (g.south);
\end{tikzpicture}

```

This is the output:



- Adjust the curve at [bend right=75].


1.5 An angled arrow connecting B and G. Besides curved arrows, you can also draw angled arrows.

```

\begin{tikzpicture}
  [parent anchor=south,
  align=center,
  level distance=2em,
  anchor=north,
  sibling distance=5em,
  child anchor=north]
  \node {A}
  child {node (b) {B}}
  child {node {C}
    child {node {D}}
    child {node {E}
      child {node {F}}
      child {node (g) {G}}}}
  ;
  \draw[latex-] (b.south)--+(0,-6.5em)-|(g.south);
\end{tikzpicture}

```

This is the output:



- The lowest point of the arrow can be adjusted at $(0, -6.5em)$.
- You can use [rounded corners=.25em] after draw to round the corners of the arrows. More precisely, add a comma , after latex-. This is the result: [latex-, rounded corners=.25em].


1.6 Adding annotations to a curved arrow. TikZ allows for decorations in the arrows. Here is how to add *hello* to a curved arrow:

```

\begin{tikzpicture}
  [parent anchor=south,
  align=center,
  level distance=2em,
  anchor=north,
  sibling distance=5em,
  child anchor=north]
  \node {A}
  child {node (b) {B}}
  child {node {C}
    child {node {D}}
    child {node {E}
      child {node {F}}
      child {node (g) {G}}}}
  ;
  \draw[latex-] (b) to [bend right=85] node [anchor=center,pos=0.5,fill=white] {hello} (g);
\end{tikzpicture}

```

This is the output:



- Notice the `[fill=white]` at the node where *hello* was added.
- Instead of *hello*, you can use a symbol like \times . You will need the package `pifont` in the preamble. You may want to delete `[fill=white]` in this case.
- Here is a comprehensive list of \TeX symbols: <https://tug.ctan.org/info/symbols/comprehensive/symbols-a4.pdf>.


It is also possible to change the positioning of the annotation of the arrow. For instance:

```

\begin{tikzpicture}
  [parent anchor=south,
  align=center,
  level distance=2em,
  anchor=north,
  sibling distance=5em,
  child anchor=north]
  \node {A}
  child {node (b) {B}}
  child {node {C}
    child {node {D}}
    child {node {E}
      child {node {F}}
      child {node (g) {G}}}}
  ;
  \draw[latex-] (b) to [bend right=85] node [midway,pos=0.25,xshift=-1.5em] {hello} (g);
\end{tikzpicture}

```

This is the output:




1.7 Adding annotations to an angled arrow. Annotation can also be added to angled arrows:

```

\begin{tikzpicture}
  [parent anchor=south,
  align=center,
  level distance=2em,
  anchor=north,
  sibling distance=5em,
  child anchor=north]
  \node {A}
  child {node (b) {B}}
  child {node {C}
    child {node {D}}
    child {node {E}
      child {node {F}}
      child {node (g) {G}}}}
  ;
  \draw[latex-] (b.south)---+(0,-7em)-|(g.south)
  node [anchor=center,pos=0.25,fill=white] {hello};
\end{tikzpicture}

```


This is the output:



Just as in the curved arrow, the position of the annotation in angled arrows can also be modified. There is the code for annotation below the arrow:

```
\begin{tikzpicture}
  [parent anchor=south,
  align=center,
  level distance=2em,
  anchor=north,
  sibling distance=5em,
  child anchor=north]
  \node {A}
  child {node (b) {B}}
  child {node {C}
    child {node {D}}
    child {node {E}
      child {node {F}}
      child {node (g) {G}}}}
  ;
  \draw[latex-] (b.south)--+(0,-7em)-|(g.south)
  node [anchor=north,pos=0.25] {hello};
\end{tikzpicture}
```

This is the output:




1.8 Triangle. If you want to abbreviate a node with a triangle, this is the code:


```

\begin{tikzpicture}
  [parent anchor=south,
  align=center,
  level distance=2em,
  anchor=north,
  sibling distance=5em,
  child anchor=north]
  \node {A}
  child {node {B}}
  child {node {C}
    child {node {D}}
    child {node {E}
      child {node {F}}
      child {node {G}
        [sibling distance=2em]
        child {coordinate (sideleft)}}
        child {node {hello} edge from parent[draw=none]}
        child {coordinate (sideright)}}}}
  ;
  \draw (sideleft) -- (sideright);
\end{tikzpicture}

```

This is the output:



- Identify the node where you want your triangle, e.g. G:

```
child {node {G}}
```

- Add the code below right before the closing bracket }:

```

child {coordinate (sideleft)}
child {node {TEXT} edge from parent[draw=none]}
child {coordinate (sideright)}

```


- You can control the size of the triangle with `[sibling distance=2em]`, which should be placed before the code for the sides of the triangle.
- Add the following code after the tree to draw a horizontal line as the base of the triangle:

```
\draw (sideleft) -- (sideright);
```

You can also draw an arrow that targets a triangulated node:

```
\begin{tikzpicture}
  [parent anchor=south,
  align=center,
  level distance=2em,
  anchor=north,
  sibling distance=6.5em,
  child anchor=north]
  \node {A}
  child {node (b) {B}
  [sibling distance=2em]
  child {coordinate (sideleft)}
  child {node {hello} edge from parent[draw=none]}
  child {coordinate (sideright)}}
  child {node {C}
  [sibling distance=4.5em]
  child {node {D}}
  child {node {E}
  child {node {F}}
  child {node (g) {G}}}}
  ;
  \draw (sideleft) -- (sideright);
  \draw[latex-] ([yshift=-3em]b.south)---+(0,-5em)-|(g.south);
\end{tikzpicture}
```

This is the output:



- Notice the addition of `[yshift=-3em]` at the `B` node where the triangle is. This shifts the endpoint of the arrow to a lower position, so it won't go over the triangle.
- `[sibling distance=6.5em]` at the beginning of the TikZ environment sets the distance between the nodes for the overall tree. You can change the distance between individual nodes, e.g. the `[sibling distance=4.5em]` below node `C`.

1.9 Linear representation with arrows. Besides hierarchical trees, it is possible to use TikZ to represent sentences linearly.


```

\tikzstyle{every picture}+=[remember picture, inner sep=0pt, baseline, anchor=base]%
{}[stuff \tikz\node(b){B}; [more stuff [even more stuff \tikz\node(g){G};]]]
\begin{tikzpicture}[overlay]
  \draw[latex-] ([yshift=-.5em]b.south)--+(0,-1.5em)-|
  ([yshift=-.5em]g.south);
\end{tikzpicture}

```

This is the output:

(13) [stuff B [more stuff [even more stuff G]]]



- The element E in the linear representation you want to connect with an arrow must be placed in this code below. Note the label (e) and the semicolon ; at the end.

```
\tikz\node(e){E};
```

- The code below places the arrow lower down the elements it connects (i.e. it creates vertical space. Use + and - to shift the arrow up or down, respectively (i.e. in the y axis).

```
[yshift=-.5em]
```

- The code below creates horizontal space. This is particularly useful when the same node is connected by two arrows:

```
[xshift=-.5em]
```

- Use + and - to shift the arrow leftwards or rightwards, respectively (i.e. in the x axis).

Another example, with more than one node being connected:


```

\tikzstyle{every picture}+=[remember picture,
  inner sep=0pt,
  baseline, anchor=base]%
{}[stuff \tikz\node(b){B}; [more stuff \tikz\node(a){A}; [even more stuff \tikz\node(g){G};]]]
\begin{tikzpicture}[overlay]
  \draw[-latex] ([yshift=-.5em]g.south)--+(0,-1em)-|
  ([yshift=-.5em,xshift=0.25em]a.south);
  \draw[-latex] ([yshift=-.5em,xshift=-0.25em]a.south)--+(0,-1em)-|
  ([yshift=-.5em]b.south);
\end{tikzpicture}

```

This is the output:

(14) [stuff B [more stuff A [even more stuff G]]]



- Notice the addition of [xshift=0.25em] and [xshift=-0.25em] to the nodes a in the draw commands.
- They shift the arrow landing at or coming from this node rightwards and leftwards, respectively.


1.10 Annotation beside node.

You can add notes beside a node in a tree:

```
\begin{tikzpicture}
  [parent anchor=south,
  align=center,
  level distance=2em,
  anchor=north,
  sibling distance=5em,
  child anchor=north]
  \node {A}
  child {node {B}}
  child {node [label={right: hello}] {C}
    child {node [label={left: \textit{<et>}] {D}}
    child {node {E}
      child {node {F}}
      child {node {G}}}}
  ;
\end{tikzpicture}
```

This is the output:

(15)



- Add [label=right: hello] right after node.
- Use left and right to position the annotation.
- This can be useful to add the semantic type of a given node.

2 Other Useful Resources

- To align the top of the tree with the top of a numbered example, use the following command:

```
\leavevmode\vadjust{\vspace{-\baselineskip}}\newline
```

For example, using gb4e to number data points:

```

\begin{exe}
  \ex{\leavevmode\vadjust{\vspace{-\baselineskip}}\newline
  \begin{tikzpicture}
    [parent anchor=south,
    align=center,
    level distance=2em,
    anchor=north,
    sibling distance=5em,
    child anchor=north]
    \node {A}
    child {node {B}}
    child {node {C}}
    ;
  \end{tikzpicture}}
\end{exe}

```

- Using symbols and special characters: this document uses a fontspec font. It allows you to input symbols like IPA symbols directly, without using the package tipa, e.g. [ϕβθð]sz].
 - This is a useful IPA keyboard: <https://westonruter.github.io/ipa-chart/keyboard/>.
 - This website has symbols used in few different writing systems, e.g. Portuguese: <https://portuguese.typeit.org/>.

If you are using a fontspec font, **compile your file with Xe_{La}TeX!** On Overleaf: click on ‘Menu’ on the upper left corner, then go to ‘Compiler’ and choose Xe_{La}TeX.

- Multiple columns with minipage:

```

\begin{minipage}[t]{0.5\textwidth}
  STUFF IN FIRST COLUMN
\end{minipage}%
\begin{minipage}[t]{0.5\textwidth}
  STUFF IN SECOND COLUMN
\end{minipage}%

```

This can be a better option than multicols because you can adjust the size of each column. In the code above, the mini pages are of equal size (50/50), but you can change them to e.g. 55/45 by replacing the instances of 0.5 above with 0.55 and 0.45.